



# OCEAN Fenders offers a complete range of boat fenders for all yachts as well as unique solutions for mega yachts.

Since 1985, OCEAN Fenders has been designing & manufacturing the unique range of Solid Boat Fenders, bow & stern ones, made with Flexible Integral PU Skin Foam technology.

Solid Fenders distinguish the brand from everyone else in the market.



### "FENDING", INNOVATION AND EXCELLENCE













Widest boat fenders' range in the market


The future of boat fending is filled with OCEAN!


# Double Layer Protection FENDER VALVE



### Re-designed fender valve for maximum protection

Two layers coming together to create an ultra-airtight combination solving the most common issue of boat fenders









### **Contents**



Accessories

Fender

Selection Chart

28

### **OCEAN Buoys** R SERIES

### A versatile buoy for the most adverse conditions











R Series Buoys are heavy-duty buoys in which the rib-reinforced rock solid rope hold is made in such a way to provide extra strength and durability. This is a versatile commercial fishing buoy for the most adverse conditions. Can be used as a marking gear for ocean, sea, river, lake, beaches, cable installation and swimming.

R Series Buoys have become widely popular among commercial fishermen in longline fishing for their durability and also among recreational boats.

These buoys are one-piece made (no parts are attached together to form the finalised buoy) with consistent wall thickness and

### Widely popular among commercial fishermen for their durability and also among recreational boats



Model	C-1	CI-	Dime	nsions	Eye Diameter	Volume per	Buoyancy	Weight	Boat Size	Fender
Model	Colour	Code	A (mm)	B (mm)	D (mm)	product (L)	(kg)	(kg)	(ft/m)	Cover
- DO		71993			1.5		,	0.7	24/5	
RO		72001	220	300	15	5,9	6	0,7	up to 16/5	
		71994			0.4	10.0			10.00/0/	10001
R1		72002	280	380	24	12,9	14	1,2	10-20/3-6	49934
DO		71995	200	500	28	20.0	20		00.05//.11	40050
R2		72003	380	500	28	30,9	32	2	20-35/6-11	49358
DO		71996	440	580	28	49	54	3	25-40/8-12	49359
R3		72004	440	360	20	49	34	3	23-40/ 6-12	49339
R4		71997	520	680	28	82,6	90	4	35-45/11-14	49360
K4		72005	320	080	20	62,0	70	4	33-43/11-14	47300
R5		71998	680	900	30	179,1	205	6,2	40-55/12-17	49361
KS		72006	000	700	30	1/ 7,1	203	0,2	40-33/12-1/	47301
R6		71999	880	1120	38	376	400	8	55-70/17-21	49362
KO		72007		1120		370	400		33-7 0/ 17 -21	4/302





# OCEAN Fenders H SERIES


## THE BEST heavy-duty fenders in the market













#### The classic series of **OCEAN Boat Fenders** with superior quality!

Made of Plastisol PVC with rotational moulding process, they are one-piece made (no parts are attached together to form the finalised fender) with consistent wall thickness.

H Series Fenders are heavy-duty ones in which the rib-reinforced rock solid rope holds in the two sides of the fender are made in such a way to provide extra strength and durability.

A versatile fender for the most adverse conditions. Suitable for any use and boats of any kind from 10-50 ft.















Inflation pressure: 2.1lbs/0,15bar at 68°F/20°C Material: Plastisol PVC

**Production process:** Single rotational moulding process

			Dime	nsions	Eye Diameter	Volume per	Weight	Boat Size	Fender
Model	Colour	Code	A (mm)	B (mm)	D (mm)	products (L)	(kg)	(ft/m)	Cover
110		71984	1.40	500	10		0.70	15.05/5.0	
H2		72453	140	500	13	6,3	0,70	15-25/5-8	-
110		71985	1.40	5.40	10	0.1	1.00	15.00/5.0	40000
Н3		72148	160	560	18	9,1	1,20	15-30/5-9	49932
H4		71986	190	640	18	14,5	1,75	20-35/6-11	<i>7</i> 2631
П4		72454	190	640	10	14,5	1,/3	20-33/0-11	/ 2031
Н5		71987	220	640	22	18,6	2	25-40/8-12	49351
113		72137	220	040	22	10,0	2	23-40/0-12	47551
Н6		71988	220	<i>7</i> 60	22	23,2	2,30	30-45/9-14	49352
110		72138	220	, 00	22	25,2	2,50	00-45/ 7-14	47002
H7		71989	280	<i>7</i> 60	24	35,1	3	35-50/11-15	49354
11/		72455	200	700	24	33,1	J	33-30/11-13	47554
Н8		71990	220	1040	22	33,8	3	40-55/12-17	49353
ПО		72139	220	1040	22	33,6	3	40-33/12-1/	47333
ЦO		71991	280	1090	24	55,4	4	45-60/14-18	49355
H9		72456	280	1070		33,4	4	45-00/14-16	47333
H10		71992	380	1470	45	127	7,2	over 65/20	-







# OCEAN Fenders U SERIES

# A utility fender for every use and every boat!



Suitable for








A utility boat fender suitable for every yacht and every use.

U Series combines simplicity and elegance offering the ultimate touch of style with high gloss finish. Options are available in white, royal blue or black colour and in seven different sizes.

These utility fenders are one-piece made (no parts are attached together to form the finalised fender), resulting in consistent wall thickness of the fender. Made of Plastisol PVC material with rotational moulding process, they are the highest quality utility fenders in the market.

The simple valve of the boat fender offers convenient inflation and maximum protection at the same time.

### U Series offers competitiveness without sacrificing quality!



Model	Colour		C-d- C-l			Colour Code	Dimensions		Eye Diameter	Volume per	Weight	Boat Size	Fender
Model	Colour	Code	Colour	Code	201001		A (mm)	B (mm)	D (mm)	products (L)	(kg)	(ft/m)	Cover
U0		72260		72358		72359	100	330	13	1,8	0,40	0-10/0-3	-
U1		72261		72360		72361	120	400	16	3,6	0,52	10-20/3-6	-
U2		72262		72362		72363	140	500	16	6,3	0,80	15-25/5-8	-
U3		72263		72364		72365	160	560	19	9,1	1	15-30/5-9	49932
U4		72264		72366		72367	190	640	19	14,5	1,55	20-35/6-11	72631
U5		72265		72368		72369	220	640	22	18,6	2	25-40/8-12	49351
U6		72557		72558		72559	220	760	22	21,1	2	30-45/9-14	49352








**Bow Fenders** by OCEAN, as the name suggests, have been designed in order to **protect the bow of** your boat. This new boat fender series by OCEAN is the best solution in terms of price and convenience.

These fenders are produced in two different sizes in order to fit all different boats, as well as in blue and white colour with **UV** resistant material in order to avoid fading under the sun.

They have three eyes for **easy and safe installation**, and for making sure that they will stay in place. The simple valve of this boat fender offers convenient inflation and maximum protection at the same time.







Size

Medium

Large

Colour



Code

72909

72911

Colour

Code

72908

72910



В

(mm)

280

440

Α

(mm)

360

520

C

(mm)

260

390

D

(mm)

340

490

CH Series of Centre Hole Fenders distinguishes for its multiple use since these fenders are designed for horizontal and vertical application to any small to medium sized boat.

The CH Series, introduced by OCEAN, is the point when simplicity and elegance become one, with the high gloss finish giving you the ultimate touch of style.



In addition, these fenders are one-piece made (no parts are attached together to form the finalised fender), resulting in consistent wall thickness. As all OCEAN fenders, these are made of Plastisol PVC material, through rotational moulding process.

The simple valve of the fender offers convenient inflation and maximum protection at the same time.

CH Boat Fenders are accompanied with white rope in order to make your life easier!

The best Center Hole Fender for both horizontal & vertical use

Unique glossy finish Simple and functional design Provides both horizontal & vertical protection Comes with rope










Model	Colour	Code	Dime	nsions	Hole Diameter	Rope Length	h products (L)	Weight	Boat Size	Fender
			A (mm)	B (mm)	D (mm)	(mm)	products (L)	(kg)	(TT7 m)	Cover
CH0		72266	100	300	16	1000	2,9	0,5	0-15/0-5	-
CH1		72267	150	430	16	1200	9	1	15-25/5-8	49932
CH2		72268	200	550	16	1400	23,4	2	15-35/5-11	49351





Suitable for

RT Series of Rope-Through Fenders distinguishes for its multiple use since these fenders are designed for horizontal and vertical application for any yacht.

This series is the point where performance and strength become one, with the reinforced vertical ribs giving you the extra protection you need. In addition, these fenders are one-piece made (through rotational moulding process), resulting in consistent wall thickness thought the fender.

As all of the OCEAN fenders, they are made of Plastisol PVC material.

The simple valve of the fender offers convenient inflation and maximum protection at the same time.

### Rope-Through Heavy-Duty Fender for both horizontal and vertical use



Unique glossy finish Seamless construction Ribs for extra protection



RT1

RT2

RT3



Inflation pressure: 2.1lbs/0,15bar at 68°F/20°C

Material: Plastisol PVC

**Production process:** Single rotational

moulding process






Model	Colour	Code	Dimensions		Hole Diameter	Volume per	Weight	Boat Size	Fender Cover
			A (mm)	B (mm)	D (mm)	products (L)	(kg)	(ft/m)	Cover
RT1		72107	160	395	16	7,7	1,2	15-25/5-8	49932
RT2		72108	215	520	16	18,3	2	25-35/8-11	49351
RT3		72109	265	685	16	36,6	3	35-50/11-15	-
					•				

Suitable for








All OCEAN Fender & Buoy Covers are manufactured in-house using knitting machines of the latest technology. Our covers are handcrafted with 100% polar fleece material for high durability and performance. Resistant to sunlight and water, they are also tested to ensure friction resistibility. Developed for the most demanding situations at sea, during mooring, OCEAN Fender & Buoy Covers provide the ultimate protection for your boat, extending also the fender life at the same time.

OCEAN Fender & Buoy Covers for extra protection



Code	Maximum Dimension Max		Thickness	Pieces per package	Fits OCEAN fenders
	Diameter (D)	Height (H)		package	
49932	160	560	Single	2	H3/U3/RT1/CH1
72631	190	640	Single	2	H4/U4/ Easystore 57327
49351	220	220 640		2	H5/U5/RT2/CH2
49352	220	760	Single	2	H6/U6
49354	280	760	Single	2	H7/ RT3 Easystore 57328
49353	220	1040	Single	2	H8
49355	280	1090	Single	2	H9/ Easystore 57316

_	<b>40%</b>	(
н	D	4
_		4

	<b>C</b> I	Dimension		TI · I	Pieces	Fits OCEAN
	Code	Max Diameter (D)	Max Height (H)	Thickness	per package	fenders
\	49934	280	380	Single	2	R1
1	49358	380	500	Single	2	R2
-	49359	440	580	Single	2	R3
/	49360	520	680	Single	2	R4
	49361	680	900	Single	2	R5
	49362	880	1120	Double	1	R6



Code	Maximum Dimensio		Thickness	Pieces	Fits OCEAN
Code	Max Diameter (D)	Max Height (H)	Inickness	per package	fenders
72625	320	1040	Double 1		Easystore 57317
72626	420	1320	Double	1	Easystore 57318/ Magnus 72159
72627	650	1600	Double	1	Easystore 57319/ Magnus 72160
72628	970	1910	Double	1	Magnus 72161
72629	1100	1350	Double	1	Magnus 72162
72630	900	2100	Double	1	Magnus 72163









#### OCEAN Fender Adjuster, 4 pcs

OCEAN Fender Adjuster is ideal and easy to use when you wish for quick placement of boat fenders anywhere at any time.









#### Fender Line, Double-braided, with Loop, Polyester, Navy blue

Code	Diameter (mm)	Length (m)	Strength (kg)	Boat Length (m)
90812	8	2	1600	< 6
90813	10	2	1940	6 - 8
90814	12	3	2650	> 8





#### EASYSTORE PLUS Inflatable Mega Yacht Fender is made of reinforced, abrasion resistant PVC material

Lightweight, simple to use and when deflated can be stowed in small lockers. EASYSTORE PLUS can be quickly inflated by using any standard or electric pump and easily mounted using the rope supplied. Available in various sizes and in light grey colour.



Welded together not glued Provides easy storage Convenient inflation and deflation Comes with rope

Code	Diameter (mm)	Length (mm)	D-ring on top	D-ring on bot- ton	Rope (m)	Boat Size (ft/m)	Fender Cover
57327	200	500	-	stripe	3	20-30/6-9	<i>7</i> 2631
57328	250	700	-	stripe	3	30-40/9-12	49354
57316	280	850	1	1	3	40-50/12-15	49355
57317	320	1040	1	1	3	50-70/15-21	72625
57318	420	1320	1	1	5	70-140/21-43	72626
57319	600	1500	1	1	5	140-210/43-64	72627



Thickness: 0,9mm Material: PVC Body D-ring Rope: diameter 7mm Recommended inflation pressure: 2,4psi



Inflating Adaptor for Valve

98970









### MAGNUS Inflatable Mega Yacht Fender is made of a copolymer blend of PVC/EVA/UV material

MAGNUS is made of a copolymer blend of PVC/EVA/UV material. There are options with 1 and 3 D-rings attached on each side of the fender, as well as wrap around straps for better durability and strength. Lightweight in regard to its size, simple to use and when deflated can be stowed in small lockers. It can be quickly inflated by using any standard or electric pump and easily mounted using the rope supplied. Trusted by superyacht captains around the globe, it has never let them down when needed. Covers are optional but they are recommended if you wish to add on some extra style to the fender.

MAGNUS Mega Yacht Inflatable Fender is available in various sizes and in black colour.

Welded together not glued Provides easy storage Easy inflation and deflation Reinforced D-Rings Reinforced PVC

Code	Length (end to end) A (mm)	Length (seam to seam) B (mm)	Diameter (mm)	D-ring on top	D-ring on bottom	Boat Size (ft/m)	Fender Cover
72159	1450	1320	420	1	1	130-190/ 40-58	72626
72162	1700	1350	1100	3	3	130-190/ 40-58	72629
72160	1750	1600	650	1	1	140-210/ 43-64	72627
72161	2100	1910	970	3	3	over 200/ over 60	72628
72163	2350	2100	900	3	3	over 210/ over 67	72630











Thickness: 1.2mm Material: PVC Body D-ring Wrap around tape Recommended inflation pressure: 2,4psi

Suitable for







### OCEAN Solid Fenders

# The Solid Fenders range is what distinguishes the brand from everyone else.

These unique and superior quality products are what sets OCEAN Fenders a step above the rest.

OCEAN is the only manufacturer that can provide you with these exclusive Italian designed and patterned fenders, made with flexible integral skin foam technology, which is used only by OCEAN for the production of fenders!

They have the best shock absorption and product life performance than any fender in the market, being the only ones **THAT CANNOT DEFLATE.** 

The range includes fenders for all different applications, such as for bow (PVM1 & BLADE) and stern protection (MATCH 60 & MATCH 80) as well as fenders of regular cylindrical type (TYPE A Clip-on Fenders, available in 4 different sizes).

Finally, the fender that sets you above everyone else in the marina & it is a class by itself; our SOLOVELA, as its Italian origin name suggests, it is designed exclusively for sailboats. It refers to the sailboats that wish to be looked upon for





SOLOVELA Solid Fender serves as a multipurpose boat fender and it is the best in its class by offering optimum shock absorption and lifetime performance. It is manufactured with Flexible Integral PU Skin Foam technology, so it is a boat fender that cannot deflate. In addition it has remarkable durability having been tested under the pressure of 12 tons per dm².

The fender's wide surface area ensures a better distribution of the load and reduction of the specific pressure per cm<sup>2</sup>. **SOLOVELA Solid** Fender stands out for its innovative shape and exclusive design, specifically for sailboats, which combines ergonomy and protection. By offering very easy fitting on the sail boat's lifeline and requiring no stowage while sailing, it's always in place and ready to use. It remains steady on the lifeline even with strong wind, without having to worry about being dropped into the sea.

You can also use SOLOVELA as a boarding step or as a backrest for the captain during sailing. SOLOVELA Solid Fender is supplied with a navy blue or sand colour, **UV-resistant zip-on cover** and a 3 m white polyester line. The fender has one through hole with nylon fiber reinforced bushes for easy and safe installation with the supplied line.

### Optimum Shock Absorption & Lifetime Performance




Tested under 12 tons per dm<sup>2</sup> Can also be used as a step




**Dimensions** Weight Model Colour Code (kg)W (cm) L (cm) H (cm) 473215 Solovela 38 60 19 4,2 197742



SOLOVELA Solid Fender Covers feature a 100% soft polyester with exceptional UV resistance and an adjustable cord and a spring clip.







Suitable for




TYPE A Clip-on Boat Fender is the first and unique solid fender, which clips on the guardrail, and is manufactured with Flexible Integral PU Skin Foam technology. It is a boat fender that cannot deflate. It offers the best shock absorption and lifetime performance among other boat fenders, providing exceptional protection.

It has impressive durability, as this fender cannot deflate no matter the pressure. It is always in place and ready to use in seconds, and it remains steady even with strong wind. There is no need for fender baskets or other inconvenient stowage and they don't get in the way on the side decks.

It can be used for the protection of the boat both horizontally and vertically. The TYPE A Clip-on Solid Fender has one through hole with nylon fiber reinforced bushes for easy and safe installation.

### The first and unique clip-on solid fender





Model	Colour	Code	Dimensions		Ø Guardrails	Weight
Model	Colour	Code	Ø (mm)	L (mm)	(mm)	(kg)
A 1		197747	160	380	20-26	1.5
<b>A</b> 1		197748		380	20-20	1,5
40		197749	200	460	20-28	2,5
A2		197750				
٨٥		197751	230	530	25-30	3,8
A3		197752		330	25-30	
<b>A</b> 4		197753	250	600	25-30	4,8
		197754	230	600	25-30	







Suitable for





**PVM1** is the first and unique universal bow solid fender, which is manufactured with Flexible Integral PU Skin Foam technology. It is a fender that cannot deflate. It has the best shock absorption and lifetime performance in class, providing exceptional boat protection and durability.

It is a multipurpose fender, **ideal for bow berthing**, for protecting the **swimming platform and for dock fending**. In addition it **protects** the bow from anchor swinging. Its innovative shape and exclusive design, combines ergonomy and **protection for the stern and bow**, which are the two most vulnerable parts of the boat.

**PVM1 Bow Solid Fender** is designed to stay fixed in place and has two through holes with nylon fiber reinforced bushes for easy and safe installation.

### The solid fender for every area that needs protection





Ideal for bow berthing, swim platform and dock fending

It fits all bow shapes

Colour	C I-		Dimension	5	Weight
Colour	Code	L (mm)	H (mm)	W (mm)	(kg)
	472461	400	250	170	2.0
	472462	600	250	170	3,2





Suitable for



PVM2 Solid Fender is ideal for protecting the corners of your boat's swimming platform, having been made with thickness up to 15cm. It is manufactured with Flexible Integral PU Skin Foam technology.

It is a fender that cannot deflate. It has the best shock absorption and lifetime performance in class, providing exceptional boat protection and durability. With two through holes with nylon fiber reinforced bushes for easy and safe installation.

Additionally, it can be used in combination with PVM1 Solid Fender to ensure the best protection for your swimming platform.

### The best protection for your swimming platform



<b>C</b> I			Dimensions	5	Weight
Colour	Code	L (mm)	H (mm)	W (mm)	(kg)
	472463	430	240	250	2,5
	472464	430	240	230	2,3

Ideal for swim platforms applications It is designed for corner protection



Suitable for



**BLADE Cruiser/Racer Fender** is the first and unique bow solid fender for 90° bow shape that fits in all bow shapes up to 7cm wide and it is manufactured with Flexible Integral PU Skin Foam technology. It has the best shock absorption and lifetime performance in class, providing exceptional bow protection and durability, as it cannot deflate. Designed to stay fixed in place. One through hole with





#### Lifetime stern protection

MATCH 60 is the first and unique universal stern solid fender, which is manufactured with Flexible Integral PU Skin Foam technology. It is a boat fender that cannot deflate. It has the best shock absorption and lifetime performance in class, providing exceptional boat protection and durability.


In addition, MATCH 60 Solid Fenders' innovative shape and exclusive design combine ergonomy and protection for the stern, which is one of the most vulnerable parts of the boat. Always in place, it fits all shapes of stern.

With one through hole with nylon fiber reinforced bushes for easy and safe installation.

The first and unique universal stern fender Ideal for stern berthing

It fits all stern shapes





			Dimensio	ns	\\\\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Colour	Code	L (mm)	H (mm)	W (mm)	Weight (kg)
	421084	600	320	250	4.2
	421110	000	320	230	4,2

Suitable for






MATCH 80 is the first and unique stern fender for 90° stern shape, which is manufactured with Flexible Integral PU Skin Foam technology. It is a boat fender that cannot be deflated. It has the best shock absorption and lifetime performance in class, providing exceptional boat protection and durability.

In addition MATCH 80 Solid Fenders' innovative shape and exclusive design, combines ergonomy and protection for the stern, which is one of the most vulnerable parts of the boat. Designed to stay fixed in place, it is ideal for stern berthing fitting all stern shapes from 75° to 90°. MATCH 80 Stern Fender has one through hole with nylon fiber reinforced bushes for easy and safe installation.

The first and unique stern fender for 90° stern shape





<b>C</b> 1			Dimensio	ns	Weight
Colour	Code	L (mm)	H (mm)	W (mm)	(kg)
	197744	440	280	240	4.2
	197743	660	200	240	4,2

Suitable for





**The Dock Fender,** as well as the rest of the OCEAN solid fender series, is manufactured with **Flexible Integral PU Skin Foam** technology. It is a dock fender that cannot deflate in any way, under any circumstances. It has the best shock absorption and lifetime performance in class, providing exceptional dock and boat protection. It is the ideal fender for dock fending, fitting perfectly in every dock


by placing the clip-ons on the dock and then easily and safely attaching the fender with the dock. Can be also installed on boats that require a permanent means of protection, such as pilot or patrol boats, as they come in very close proximity with other boats due to the nature of their operation.

It is a dock fender that cannot deflate in any way, under any circumstances









			Weight		
Code	Description	L (mm)	W (mm)	H (mm)	(kg)
472465	Solid Dock Fender, Curved-ending, Navy blue	1005	167	160.5	5.6
472466	Solid Dock Fender, Navy blue	1003	107	100,5	3,0
472467	Clip-on for Dock Fender	-	-	-	-


**The Inflatable Dock Fender by OCEAN** is the most convenient solution when it comes to bumpers, providing exceptional dock and boat protection. It is the ideal fender for dock fending, fitting perfectly in every dock with easy and safe installation.




C-1	CI-	Di	Dime	ensions	Weight
Colour	Code	Description	L (mm)	H (mm)	(kg)
	72346	Empty		000	3
	72493	Foam Filled	640	220	5




		D		Dimension	ıs	Weight
Colour	Code	Description	L (mm)	H (mm)	W (mm)	(kg)
	72347	1 /		000	120	2,5
	72492	Foam Filled	640	220	132	4









### For the ultimate protection of your sails

Clip-on STANCHION Cover is a unique flexible stanchion cover, which provides ideal protection for all bow sails. It is made with Flexible Integral PU Skin Foam technology. STANCHION prevents from chafing of the genoa caused by constant rubbing against the stanchions. It has easy fitting, with 2 nylon clips included.





Provides ideal protection for all bow sails Easy to fit with 2 nylon clips included

<i>C</i> I		<b>C</b> I		Dimension	ıs	Weight
	Colour	Code	L (mm)	H (mm)	W (mm)	(kg)
		197757	100	70	34	0,06





SAIL DEFENDER Clip-on Lifeline Cover is a unique flexible lifeline cover, which can be applied to any kind of pulpit with coaxial lifeline in easy and rapid way. It is made with Flexible Integral PU Skin Foam technology, providing ideal protection for all bow sails. SAIL DEFENDER prevents chafing of the genoa caused by constant rubbing on rigging, joining lifeline to pulpit. It has easy fitting, with 5 nylon clips included.





Provides ideal protection for all bow sails Easy to fit with 5 nylon clips included


<b>C</b> 1			Dimension	S	Weight
Colour	Code	L (mm)	H (mm)	W (mm)	( <b>kg</b> )
	197759	320	70	45	0,21





Universal CROSS-TREE Cover is the first and unique flexible cross-tree cover to fit all cross trees from 100 mm to 360 mm circumference. It provides ideal protection for all sails. Flexible Integral Skin Foam technology. Easy to fit with a 3m length polyester line included.









Clip-on Lifebuoy Support for rail Ideal for all standard lifebuoy rings and horse-shoe with 400 mm max circumference. Flexible integral skin foam technology.

### Quick lifebuoy release system







C-1	CI-		Dimension	s	Rail Ø	Weight
Colour	Code	L (mm)	H (mm)	W (mm)	(mm)	(kg)
	197763	140	120	180	25-28	0,45









**Mooring Compensator** is an unbreakable, durable and silent shore line damper. Reduces uncomfortable motions when the boat is moored.

Highly efficient shock absorber

Eliminates unnecessary strains

Reduces stress force applied on the rope, thus extending the ropes lifetime

Corrosion resistant

No unnecessary noises created

Material: EPDM rubber + Inox AISI-316 + PE-HD





**Sports Buoy** is made of high-quality PVC material. This small but durable inflatable buoy is the perfect marker for a beach, a waterski course or any area that requires marking. OCEAN Sports Buoy meets the American Water Ski Association specifications. With a durable rope hold to fasten any line.

Colour

Code

72450



Ø200
•



Weight

(kg)

0,6

**Dimensions** 

H (mm)

230

L (mm)

**Keychains Fenders** are elegant miniatures of the OCEAN fender series. The logo is engraved in the keychain fender, making it a way more aesthetic choice than a cork float. The amount of keys that it can hold are more than any other keychain fender in the market, so you will not lose your keys in the sea.

# Keychain Round Fender Colour Code 72448 72541 72541 72547

**ALVEA Drinks Tray** is a unique and useful glass & bottle tray, made with Flexible Integral PU Skin Foam technology and non-slip material. Thanks to the moulded design, the cups are held firmly even when they're empty or during strong winds, making ALVEA an essential accessory on board. In addition, it keeps the table tidy and it's easy to clean, by using only soap and water.

<b>C</b> I	Code		Weight		
Colour		L (mm)	H (mm)	W (mm)	(kg)
	473084	270	50	230	0,30













Clip-on CAN HOLDER is a unique and useful accessory, ideal for holding and keeping cool cans, small bottles, and glasses. It is one-piece made and there is no need for extra parts. It preserves the temperature levels of the mounted object.

It can also be used as an object holder for mobile phones, eye-glasses, portable VHF and GPS, etc. It is made with Flexible Integral PU Skin Foam technology and can be clipped on all guardrails, pulpit and stanchion, making it an essential accessory on board.

Perfect fit for glasses, bottles and cans

### A MUST-HAVE ACCESSORY



An object	holder for mobile phones,
eyeglasses,	portable VHF and GPS, etc.

Colour			Dimension	Rail Ø	Weight	
	Code	L (mm)	H (mm)	W (mm)	(mm)	(kg)
	470089	100	00	100	00.07	0.05
	197762	130	90	100	22-26	0,25





### **Unique Product - Supreme Quality**

Flexible Integral PU Skin Foam Technology Maximum Durability


Easy "clip-on" on any guardrails

### Fender Selection Chart





**BOAT LENGTH** (ft/m)



	SERI	IES	2	:0'/6m 3	0'/9m 4	0'/12m 5	0'/15m 6	0'/18m 7	0'/21m 13	0'/40m 16	60'/50m 2	10'/66m
Inflatable Fenders	EASYSTORE PLUS		57327	<b>←→</b>								
			57328		<b>←</b>							
			57316			<b>←→</b>						
			57317				<b>←</b>	-				
			57318						<b>←</b>			
			57319							4	-	
	MAGNUS	7000011	72159							<b>←</b>	-	
			72162							<b>←</b>	-	
			72160							+	<b></b>	-
			72161									<b>+</b>
			72163									<b>+</b>



### **OCEAN Fenders Limited Warranty**

WHAT THIS WARRANTY COVERS OCEAN warrants its products to be free of defects in workmanship and material under normal use and service and when used for the purposes and under the conditions for which they are intended.

#### WHAT THIS WARRANTY DOES NOT COVER This warranty does not apply to any problem caused by:

- 1) Unusual conditions such as severe storms, hurricanes, extreme temperatures, UV light breakdown, or ultraviolet rays. Also, the warranty does not cover cosmetic flaws that result from normal wear and tear under ordinary use and do not affect the performance or use of the product.
- 2) Intentional damage by people.
- 3) Cuts, punctures, or exposures to chemicals that degrade or discolor plastics.
- 5) Abuse, neglect, accident, misuse, alteration, unauthorized repair, improper handling, or improper use.
- 4) Improper inflation of any product, including under or over inflation (please refer to inflation guide for maximum inflation values).

Since it is impossible for OCEAN to know the exact purposes for which you acquired the OCEAN product or the uses to which you will put the product, OCEAN shall not be responsible for the selection of the product for its installation and use. While every reasonable effort has been made to insure that you will receive a product that you can use and enjoy, OCEAN does not warrant that the product will meet your requirements.

NO WORDS, ACTIONS, DÉSCRIPTIONS, MODELS, SAMPLES OR OTHER SELLER CONDUCT WILL CREATE AN EXPRESS WARRANTY BEYOND THE TERMS DESCRIBED HERE.

HOW LONG COVERAGE LASTS The warranty on SOLOVELA, TYPE A, MATCH 60 & 80, PVM 1 & 2, BLADE, SERIES R, H, U, CH & RT, Bow & Dock fenders as well as EASYSTORE PLUS & MAGNUS lasts for a 2-year period from the date of purchase as long as the original purchaser can prove the origin of purchase. This warranty terminates if the original purchaser sells or transfers the product.

WHAT OCEAN WILL DO Obligation under this warranty is limited to repair, replacement, or credit for the defective product at the discretion of OCEAN.

HOW TO GET SERVICE Purchaser should return the defective product to the location where the purchase was made, along with a copy of the original sales receipt documenting the date of purchase and the OCEAN item number, as well as a description of the conditions in which the product was used and the alleged defect MUST accompany all warranty claims.

OCEAN shall have the right to inspect said product and Purchaser shall, if requested, return the defective product to OCEAN.

OCEAN is not responsible for postage on the return of defective products. No return merchandise will be accepted without prior authorisation.

#### PROFESSIONALS TRUSTING OCEAN















"FENDING", INNOVATION AND EXCELLENCE

#### **Customer Support:**

3 Gounari str., Piraeus, 185 31, Greece Tel: +30 2104226274, Fax: +30 2104226273 e-mail: contact@oceanfenders.com

#### **Production:**

14, Ursa street, District Sini Vir, 2309 Pernik

www.oceanfenders.com







