



"FENDING", INNOVATION AND EXCELLENCE

www.oceanfenders.com




"FENDING", INNOVATION AND EXCELLENCE

OCEAN Fenders offers a complete range of boat fenders for all yachts as well as unique solutions for mega yachts.

Since 1985, OCEAN Fenders has been designing & manufacturing the unique range of Solid Boat Fenders, bow & stern ones, made with Flexible Integral PU Skin Foam technology.

Solid Fenders distinguish the brand from everyone else in the market.

A large, modern industrial building with a curved glass facade, reflecting the surrounding trees and sky. The building is situated behind a green lawn and a paved road. The image is framed by a large, stylized blue wave graphic that curves across the middle of the page.

In 2015, OCEAN Fenders set up the **largest manufacturing facility** of boat fenders in the world; a brand new production unit that utilises **premium raw materials & the latest technologies**.

13.000m²

"FENDING", INNOVATION AND EXCELLENCE



Superior Quality



Lifetime Performance



Maximum Protection



Ultimate Consistency



Extensive Quality Tests



Exclusive & Modern Design

Widest boat fenders' range in the market


The future of boat fending is filled with OCEAN!

Double Layer Protection FENDER VALVE




Re-designed fender valve for maximum protection


Two layers coming together to create an ultra-airtight combination solving the most common issue of boat fenders




New Inside
Valve Case



New Air-tight
Insert



Outer Valve
With Cap



"We focus on returning customers,
not on returning products"

Inflation instructions
for OCEAN valve



Watch the video

Contents



Buoys
R SERIES

4-5



Fenders
H, U, CH & RT SERIES
and Bow Fender

6-12



**Covers, Adjuster
& Ropes**

13




**Mega Yacht
Inflatable Fenders**
EASYSSTORE PLUS & MAGNUS

14-15



Solid Fenders
SOLOVELA, TYPE A,
BLADE, PVM1, PVM2,
MATCH 60 & MATCH 80

16-21



Dock Fenders

22



Accessories

23-27



**Fender
Selection Chart**

28

OCEAN Buoys R SERIES

A versatile buoy for the most adverse conditions

Rock solid ropehold with reinforced material

Simple valve for convenient inflation

Seamless construction



UV resistance

Most ribs than any other buoy in the market

Unique glossy finish

**available upon
request &
sufficient quantities*

**Suitable colour for
European Fishing Grounds**

Widely popular among commercial fishermen
for its durability but also among the recreational boats too

Suitable for



OCEAN

R Series Buoys are **heavy-duty buoys** in which the **rib-reinforced rock solid rope hold** is made in such a way to provide **extra strength** and **durability**. This is a versatile **commercial fishing buoy** for the most adverse conditions. Can be used as a **marking gear** for ocean, sea, river, lake, beaches, cable installation and swimming.

R Series Buoys have become widely popular among **commercial fishermen in longline fishing** for their durability and also among recreational boats.

These buoys are **one-piece made** (no parts are attached together to form the finalised buoy) with consistent wall thickness and UV resistance.















Widely popular among **commercial fishermen** for their durability and also among recreational boats



Inflation pressure: 2.1lbs/0,15bar at 68°F/20°C

Material: Plastisol PVC

Production process: Single rotational moulding process

Model	Colour	Code	Dimensions		Eye Diameter	Volume per product (L)	Buoyancy (kg)	Weight (kg)	Boat Size (ft/m)	Fender Cover
			A (mm)	B (mm)	D (mm)					
R0		71993	220	300	15	5,9	6	0,7	up to 16/5	
		72001								
R1		71994	280	380	24	12,9	14	1,2	10-20/3-6	49934
		72002								
R2		71995	380	500	28	30,9	32	2	20-35/6-11	49358
		72003								
R3		71996	440	580	28	49	54	3	25-40/8-12	49359
		72004								
R4		71997	520	680	28	82,6	90	4	35-45/11-14	49360
		72005								
R5		71998	680	900	30	179,1	205	6,2	40-55/12-17	49361
		72006								
R6		71999	880	1120	38	376	400	8	55-70/17-21	49362
		72007								



OCEAN Fenders
H SERIES

***THE BEST heavy-duty
fenders in the market***

Rock solid ropehold with reinforced material

Simple valve for convenient inflation

Seamless construction

UV resistance

Unique glossy finish



**Additional colours available upon request
& sufficient quantities.*

Suitable for




OCEAN

The classic series of **OCEAN Boat Fenders** with superior quality!

Made of Plastisol PVC with **rotational moulding process**, they are **one-piece made** (no parts are attached together to form the finalised fender) with consistent wall thickness.

H Series Fenders are heavy-duty ones in which the rib-reinforced rock solid rope holds in the two sides of the fender are made in such a way to provide extra strength and durability.


















A versatile fender for the most adverse conditions. Suitable for any use and boats of any kind from 10-50 ft.



Inflation pressure: 2.1lbs/0,15bar at 68°F/20°C

Material: Plastisol PVC

Production process: Single rotational moulding process

Model	Colour	Code	Dimensions		Eye Diameter	Volume per products (L)	Weight (kg)	Boat Size (ft/m)	Fender Cover
			A (mm)	B (mm)	D (mm)				
H2		71984	140	500	13	6,3	0,70	15-25/5-8	-
		72453							
H3		71985	160	560	18	9,1	1,20	15-30/5-9	49932
		72148							
H4		71986	190	640	18	14,5	1,75	20-35/6-11	72631
		72454							
H5		71987	220	640	22	18,6	2	25-40/8-12	49351
		72137							
H6		71988	220	760	22	23,2	2,30	30-45/9-14	49352
		72138							
H7		71989	280	760	24	35,1	3	35-50/11-15	49354
		72455							
H8		71990	220	1040	22	33,8	3	40-55/12-17	49353
		72139							
H9		71991	270	1090	24	55,4	4	45-60/14-18	49355
		72456							
H10		71992	380	1470	45	127	7,2	over 65/20	-



OCEAN Fenders
U SERIES

*A utility fender for every
use and every boat!*

Simple design
Seamless construction
Unique glossy finish



Suitable for




A utility boat fender suitable for **every yacht** and every use.

U Series combines **simplicity** and **elegance** offering the ultimate touch of style with **high gloss finish**. Options are available in **white, royal blue or black** colour and in six different sizes.

These utility fenders are one-piece made (no parts are attached together to form the finalised fender), resulting in consistent wall thickness of the fender. Made of **Plastisol PVC** material with **rotational moulding process**, they are **the highest quality utility fenders in the market**.

The simple valve of the boat fender offers convenient inflation and **maximum protection** at the same time.

U Series offers competitiveness without sacrificing quality!



Material : Plastisol PVC

Production process: Single rotational moulding process

Model	Colour	Code	Colour	Code	Colour	Code	Dimensions		Eye Diameter	Volume per products (L)	Weight (kg)	Boat Size (ft/m)	Fender Cover
							A (mm)	B (mm)					
U0	○	72260	●	72358	●	72359	100	330	13	1,8	0,40	0-10/0-3	-
U1	○	72261	●	72360	●	72361	120	400	16	3,6	0,52	10-20/3-6	-
U2	○	72262	●	72362	●	72363	140	500	16	6,3	0,80	15-25/5-8	-
U3	○	72263	●	73264	●	72365	160	560	19	9,1	1	15-30/5-9	49932
U4	○	72264	●	73266	●	72367	190	640	19	14,5	1,55	20-35/6-11	72631
U5	○	72265	●	72368	●	72369	220	640	22	18,6	2	25-40/8-12	49351
U6	○	72557	●	72558	●	72559	220	760	22	21,1	2	30-45/9-14	49352





Bow Fenders by OCEAN, as the name suggests, have been designed in order to **protect the bow of your boat**. This **new boat fender series** by OCEAN is the best solution in terms of price and convenience.


These fenders are produced in two different sizes in order to fit all different boats, as well as in blue and white colour with **UV resistant material** in order to avoid fading under the sun.

They have three eyes for **easy and safe installation**, and for making sure that they will stay in place. The simple valve of this boat fender offers convenient inflation and maximum protection at the same time.

Efficient solution for
the protection of the bow



Stable in the bow, protecting your
property at all times



Size	Colour	Code	Colour	Code	Dimensions			
					A (mm)	B (mm)	C (mm)	D (mm)
Medium	○	72908	●	72909	360	280	260	340
Large	○	72910	●	72911	520	440	390	490

Suitable for



CH Series of Centre Hole Fenders distinguishes for its **multiple use** since these fenders are designed for **horizontal and vertical application** to any small to medium sized boat.

The CH Series, introduced by OCEAN, is the point when **simplicity** and **elegance** become one, with the **high gloss finish** giving you the ultimate touch of style.



In addition, these fenders are one-piece made (no parts are attached together to form the finalised fender), resulting in consistent wall thickness. As all OCEAN fenders, these are made of **Plastisol PVC** material, through **rotational moulding process**.

The simple valve of the fender offers convenient inflation and maximum protection at the same time.

CH Boat Fenders are accompanied with white rope in order to make your life easier!

The best Center Hole Fender for both horizontal & vertical use

Unique glossy finish

Simple and functional design

Provides both horizontal & vertical protection

Comes with rope

CHO



CH1




CH2



Material : Plastisol PVC
Production process: Single rotational moulding process

Model	Colour	Code	Dimensions		Hole Diameter	Rope Length (mm)	Volume per products (L)	Weight (kg)	Boat Size (ft/m)	Fender Cover
			A (mm)	B (mm)						
CHO		72266	100	300	16	1000	2,9	0,5	0-15/0-5	-
CH1		72267	150	430	16	1200	9	1	15-25/5-8	49932
CH2		72268	200	550	16	1400	23,4	2	15-35/5-11	49351



Suitable for



“FENDING”, INNOVATION AND EXCELLENCE

RT Series of Rope-Through Fenders distinguishes for its **multiple use** since these fenders are designed for **horizontal and vertical application** for any yacht.

This series is the point where performance and strength become one, with the **reinforced vertical ribs** giving you the extra protection you need. In addition, these fenders are **one-piece** made (through rotational moulding process), resulting in consistent wall thickness thought the fender.

As all of the OCEAN fenders, they are made of **Plastisol PVC** material.

The simple valve of the fender offers convenient inflation and maximum protection at the same time.

Rope-Through Heavy-Duty Fender for both horizontal and vertical use



Unique glossy finish
Seamless construction
Ribs for extra protection



RT1

RT2

RT3




Inflation pressure: 2.1lbs/0,15bar at 68°F/20°C

Material: Plastisol PVC

Production process: Single rotational moulding process



Model	Colour	Code	Dimensions		Hole Diameter	Volume per products (L)	Weight (kg)	Boat Size (ft/m)	Fender Cover
			A (mm)	B (mm)	D (mm)				
RT1	○	72107	160	395	16	7,7	1,2	15-25/5-8	49932
RT2	○	72108	215	520	16	18,3	2	25-35/8-11	49351
RT3	○	72109	265	685	16	36,6	3	35-50/11-15	-




Suitable for




All OCEAN Fender & Buoy Covers are manufactured in-house using **knitting machines of the latest technology**. Our covers are handcrafted with 100% polar fleece material for **high durability** and **performance**. Resistant to sunlight and water, they are also tested to ensure friction resistibility. Developed for the most demanding situations at sea, during mooring, OCEAN Fender & Buoy Covers provide **the ultimate protection** for your boat, extending also the fender life at the same time.


OCEAN Fender & Buoy Covers for extra protection



Code	Maximum Fender Dimensions (mm)		Thickness	Pieces per package	Fits OCEAN fenders
	Max Diameter (D)	Max Height (H)			
49932	160	560	Single	2	H3/U3/RT1/CH1
72631	190	640	Single	2	H4/U4/Easystore 57327
49351	220	640	Single	2	H5/U5/RT2/CH2
49352	220	760	Single	2	H6/U6
49354	280	760	Single	2	H7/Easystore 57328
49353	220	1040	Single	2	H8
49355	280	1090	Single	2	H9/Easystore 57316



Code	Maximum Fender Dimensions (mm)		Thickness	Pieces per package	Fits OCEAN fenders
	Max Diameter (D)	Max Height (H)			
49934	280	380	Single	2	R1
49358	380	500	Single	2	R2
49359	440	580	Single	2	R3
49360	520	680	Single	2	R4
49361	680	900	Single	2	R5
49362	880	1120	Double	1	R6



Code	Maximum Fender Dimensions (mm)		Thickness	Pieces per package	Fits OCEAN fenders
	Max Diameter (D)	Max Height (H)			
72625	320	1040	Double	1	Easystore 57317
72626	420	1320	Double	1	Easystore 57318/Magnus 72159
72627	650	1600	Double	1	Easystore 57319/Magnus 72160
72628	970	1910	Double	1	Magnus 72161
72629	1100	1350	Double	1	Magnus 72162
72630	900	2100	Double	1	Magnus 72163



Perfect fitting
Quick & easy installation
Washable

Single



Double



OCEAN Fender Adjuster, 4 pcs

OCEAN Fender Adjuster is ideal and easy to use when you wish for quick placement of boat fenders anywhere at any time.

4 unit- pack

Material: PE-HD High density polyethylene

Code

72702



Fender Line, Double-braided, with Loop, Polyester, Navy blue

Code	Diameter (mm)	Length (m)	Strength (kg)	Boat Length (m)
90812	8	2	1600	< 6
90813	10	2	1940	6 - 8
90814	12	3	2650	> 8

Cabo



EASYSTORE PLUS Inflatable Mega Yacht Fender is made of reinforced, abrasion resistant PVC material

Lightweight, simple to use and when deflated can be stowed in small lockers. EASYSTORE PLUS can be quickly inflated by using any standard or electric pump and easily mounted using the rope supplied. Available in various sizes and in light grey colour.



Thickness: 0,9mm

Material: PVC Body

D-ring

Rope: diameter 7mm

Recommended inflation pressure: 2,4psi

Welded together not glued
Provides easy storage
Convenient inflation and deflation
Comes with rope

Code	Diameter (mm)	Length (mm)	D-ring on top	D-ring on bottom	Rope (m)	Boat Size (ft/m)	Fender Cover
57327	200	500	-	stripe	3	20-30/6-9	72631
57328	250	700	-	stripe	3	30-40/9-12	49354
57316	280	850	1	1	3	40-50/12-15	49355
57317	320	1040	1	1	3	50-70/15-21	72625
57318	420	1320	1	1	5	70-140/21-43	72626
57319	600	1500	1	1	5	140-210/43-64	72627



Inflating Adaptor for Valve

Code | 98970

Suitable for



MAGNUS Inflatable Mega Yacht Fender is made of a copolymer blend of PVC/EVA/UV material

MAGNUS is made of a copolymer blend of PVC/EVA/UV material. There are options with 1 and 3 D-rings attached on each side of the fender, as well as wrap around straps for better durability and strength. Lightweight in regard to its size, simple to use and when deflated can be stowed in small lockers. It can be quickly inflated by using any standard or electric pump and easily mounted using the rope supplied. Trusted by **superyacht captains** around the globe, it has never let them down when needed. Covers are optional but they are recommended if you wish to add on some extra style to the fender.

MAGNUS Mega Yacht Inflatable Fender is available in various sizes and in black colour.

Welded together not glued
Provides easy storage
Easy inflation and deflation
Reinforced D-Rings
Reinforced PVC

Code	Length (end to end) A (mm)	Length (seam to seam) B (mm)	Diameter (mm)	D-ring on top	D-ring on bottom	Boat Size (ft/m)	Fender Cover
72159	1450	1320	420	1	1	130-190/ 40-58	72626
72162	1700	1350	1100	3	3	130-190/ 40-58	72629
72160	1750	1600	650	1	1	140-210/ 43-64	72627
72161	2100	1910	970	3	3	over 200/ over 60	72628
72163	2350	2100	900	3	3	over 210/ over 67	72630



Thickness: 1.2mm
Material: PVC Body
D-ring
Wrap around tape
Recommended inflation pressure: 2,4psi

Suitable for



"FENDING", INNOVATION AND EXCELLENCE

OCEAN Solid Fenders

The Solid Fenders range is what distinguishes the brand from everyone else.

These unique and superior quality products are what sets OCEAN Fenders a step above the rest.

OCEAN is the only manufacturer that can provide you with these exclusive Italian designed and patterned fenders, made with flexible integral skin foam technology, which is used only by OCEAN for the production of fenders!

They have the best shock absorption and product life performance than any fender in the market, being the only ones **THAT CANNOT DEFLATE.**

The range includes fenders for all different applications, such as for bow (PVM1 & BLADE) and stern protection (MATCH 60 & MATCH 80) as well as fenders of regular cylindrical type (TYPE A Clip-on Fenders, available in 4 different sizes).

Finally, the fender that sets you above everyone else in the marina & it is a class by itself; our SOLOVELA, as its Italian origin name suggests, it is designed exclusively for sailboats. It refers to the sailboats that wish to be looked upon for their superior taste when it comes to fending.



SOLOVELA Solid Fender serves as a **multipurpose boat fender** and it is the best in its class by offering **optimum shock absorption and lifetime performance**. It is manufactured with **Flexible Integral PU Skin Foam technology**, so it is a boat fender that **cannot deflate**. In addition it has remarkable **durability** having been **tested under the pressure of 12 tons per dm²**.

The fender's wide surface area ensures a better distribution of the load and reduction of the specific pressure per cm². **SOLOVELA Solid Fender** stands out for its **innovative shape and exclusive design**, specifically for **sailboats**, which combines **ergonomy and protection**. By offering very easy fitting on the sail boat's lifeline and requiring no stowage while **sailing**, it's always in place and ready to use. It remains steady on the lifeline even with strong wind, without having to worry about being dropped into the sea.


You can also use **SOLOVELA** as a **boarding step** or as a **backrest for the captain during sailing**. **SOLOVELA Solid Fender** is supplied with a navy blue or sand colour, **UV-resistant zip-on cover** and a 3 m white polyester line. The fender has one through hole with nylon fiber reinforced bushes for easy and safe installation with the supplied line.



Optimum Shock Absorption & Lifetime Performance



Tested under
12 tons per dm²



Can also be used
as a step
and as a backrest



Model	Colour	Code	Dimensions			Weight (kg)
			L (cm)	H (cm)	W (cm)	
Solovela		473215	38	60	19	4,2
		197742				



SOLOVELA Solid Fender Covers feature a 100% soft polyester with exceptional UV resistance and an adjustable cord and a spring clip.

Colour	Code
	197782
	197783



Suitable for



TYPE A Clip-on Boat Fender is the first and unique solid fender, which clips on the guardrail, and is manufactured with **Flexible Integral PU Skin Foam technology**. It is a boat fender that cannot deflate. It offers the **best shock absorption and lifetime performance** among other boat fenders, providing **exceptional protection**.

It has impressive **durability**, as this **fender cannot deflate** no matter the pressure. It is always in place and ready to use in seconds, and it remains steady even with strong wind. There is no need for fender baskets or other inconvenient stowage and they don't get in the way on the side decks.

It can be used for the protection of the boat both horizontally and vertically. The **TYPE A Clip-on Solid Fender** has one through hole with nylon fiber reinforced bushes for easy and safe installation.

The first and unique clip-on solid fender



The first and unique clip-on fenders

Can be used both horizontally and vertically



Model	Colour	Code	Dimensions		Ø Guardrails (mm)	Weight (kg)
			Ø (mm)	L (mm)		
A1	○	197747	160	380	20-26	1,5
	●	197748				
A2	○	197749	200	460	20-28	2,5
	●	197750				
A3	○	197751	230	530	25-30	3,8
	●	197752				
A4	○	197753	250	600	25-30	4,8
	●	197754				



Suitable for




PVM1 is the first and unique universal bow solid fender, which is manufactured with **Flexible Integral PU Skin Foam technology**. It is a fender that cannot deflate. It has the **best shock absorption and lifetime performance** in class, providing exceptional boat protection and durability.

It is a multipurpose fender, **ideal for bow berthing**, for protecting the **swimming platform and for dock fending**. In addition it **protects** the bow from anchor swinging. Its innovative shape and exclusive design, combines ergonomomy and **protection for the stern and bow**, which are the two most vulnerable parts of the boat.

PVM1 Bow Solid Fender is designed to stay fixed in place and has two through holes with nylon fiber reinforced bushes for easy and safe installation.

The solid fender for every area that needs protection



The first and unique universal bow fender

Ideal for bow berthing, swim platform and dock fending

It fits all bow shapes

Colour	Code	Dimensions			Weight (kg)
		L (mm)	H (mm)	W (mm)	
○	472461	600	250	170	3,2
●	472462				



Suitable for



PVM2 Solid Fender is ideal for protecting the corners of your boat's swimming platform, having been made with thickness up to 15cm. It is manufactured with **Flexible Integral PU Skin Foam technology**. It is a fender that cannot deflate. It has the best shock absorption and lifetime performance in class, providing exceptional boat protection and durability. With two through holes with nylon fiber reinforced bushes for easy and safe installation.

Additionally, it can be used in combination with **PVM1 Solid Fender** to ensure the best protection for your swimming platform.

The best protection for your swimming platform



Ideal for swim platforms applications

It is designed for corner protection


Colour	Code	Dimensions			Weight (kg)
		L (mm)	H (mm)	W (mm)	
	472463	430	240	250	2,5
	472464				

Suitable for



BLADE Cruiser/Racer Fender is the first and unique bow solid fender for 90° bow shape that fits in all bow shapes up to 7cm wide and it is manufactured with **Flexible Integral PU Skin Foam technology**. It has the best shock absorption and lifetime performance in class, providing exceptional bow protection and durability, as it cannot deflate. Designed to stay fixed in place. One through hole with nylon fiber reinforced bushes for easy and safe installation.

Best in class shock absorption and lifetime performance



Colour	Code	Dimensions			Weight (kg)	Max Bow Shape Width (mm)
		L (mm)	H (mm)	W (mm)		
	197745	1040	160	120	2,7	70
	197746					

Suitable for



Lifetime stern protection

MATCH 60 is the first and unique universal stern solid fender, which is manufactured with Flexible Integral PU Skin Foam technology. **It is a boat fender that cannot deflate.** It has the best shock absorption and lifetime performance in class, providing **exceptional boat protection and durability.**


In addition, MATCH 60 Solid Fenders' **innovative shape and exclusive design** combine ergonomics and protection for the stern, which is one of the most vulnerable parts of the boat. Always in place, **it fits all shapes of stern.**

With one through hole with nylon fiber reinforced bushes for easy and safe installation.

The first and unique universal stern fender

Ideal for stern berthing

It fits all stern shapes



Colour	Code	Dimensions			Weight (kg)
		L (mm)	H (mm)	W (mm)	
○	421084	600	320	250	4,2
●	421110				


Suitable for



MATCH 80 is the first and unique stern fender for 90° stern shape, which is manufactured with Flexible Integral PU Skin Foam technology. **It is a boat fender that cannot be deflated.** It has the best shock absorption and lifetime performance in class, providing **exceptional boat protection and durability.**

In addition MATCH 80 Solid Fenders' innovative shape and exclusive design, combines ergonomics and protection for the stern, which is one of the most vulnerable parts of the boat. Designed to stay fixed in place, **it is ideal for stern berthing** fitting all stern shapes from 75° to 90°. **MATCH 80 Stern Fender** has one through hole with nylon fiber reinforced bushes for easy and safe installation.

The first and unique stern fender for 90° stern shape



Colour	Code	Dimensions			Weight (kg)
		L (mm)	H (mm)	W (mm)	
○	197744	660	280	240	4,2
●	197743				


Suitable for



The Dock Fender, as well as the rest of the OCEAN solid fender series, is manufactured with **Flexible Integral PU Skin Foam technology**. It is a dock fender that cannot deflate in any way, under any circumstances. It has the best shock absorption and lifetime performance in class, providing exceptional dock and boat protection. It is the ideal fender for dock fending, fitting perfectly in every dock by placing the clip-ons on the dock and then easily and safely attaching the fender with the dock. Can be also installed on boats that require a permanent means of protection, such as pilot or patrol boats, as they come in very close proximity with other boats due to the nature of their operation.

It is a dock fender that cannot deflate in any way,
under any circumstances

Lifetime Warranty




Code	Description	Dimensions			Weight (kg)
		L (mm)	W (mm)	H (mm)	
472465	Solid Dock Fender, Curved-ending, Navy blue	1005	167	160,5	5,6
472466	Solid Dock Fender, Navy blue				
472467	Clip-on for Dock Fender	-	-	-	-

Stress Test




The Inflatable Dock Fender by OCEAN is the most convenient solution when it comes to bumpers, providing exceptional dock and boat protection. It is the ideal fender for dock fending, fitting perfectly in every dock with easy and safe installation.




Colour	Code	Description	Dimensions		Weight (kg)
			L (mm)	H (mm)	
	72346	Empty	640	220	3
	72493	Foam Filled			5

Colour	Code	Description	Dimensions			Weight (kg)
			L (mm)	H (mm)	W (mm)	
	72347	Empty	640	220	132	2,5
	72492	Foam Filled				4



Foam Filled



For the ultimate protection of your sails


Clip-on STANCHION Cover is a unique *flexible stanchion cover*, which provides ideal *protection for all bow sails*. It is made with *Flexible Integral PU Skin Foam technology*. **STANCHION prevents from chafing of the genoa** caused by constant rubbing against the stanchions. It has easy fitting, with 2 nylon clips included.



Provides ideal protection for all bow sails

Easy to fit with 2 nylon clips included

Colour	Code	Dimensions			Weight (kg)
		L (mm)	H (mm)	W (mm)	
○	197757	100	70	34	0,06





SAIL DEFENDER Clip-on Lifeline Cover is a unique *flexible lifeline cover*, which can be applied to any kind of pulpit with coaxial lifeline in easy and rapid way. It is made with *Flexible Integral PU Skin Foam technology*, providing ideal *protection for all bow sails*. **SAIL DEFENDER prevents chafing** of the genoa caused by constant rubbing on rigging, joining lifeline to pulpit. It has easy fitting, with 5 nylon clips included.



Provides ideal protection for all bow sails

Easy to fit with 5 nylon clips included


Colour	Code	Dimensions			Weight (kg)
		L (mm)	H (mm)	W (mm)	
○	197759	320	70	45	0,21



Universal CROSS-TREE Cover is the first and unique flexible cross-tree cover to fit all cross trees from 100 mm to 360 mm circumference. It provides ideal protection for all sails. Flexible Integral Skin Foam technology. Easy to fit with a 3m length polyester line included.



Colour	Code	Dimensions			Weight (kg)
		L (mm)	H (mm)	W (mm)	
○	197755	200	100	110	0,2



Clip-on Lifebuoy Support for rail Ideal for all standard lifebuoy rings and horse-shoe with 400 mm max circumference. Flexible integral skin foam technology.

Quick lifebuoy release system



Colour	Code	Dimensions			Rail Ø (mm)	Weight (kg)
		L (mm)	H (mm)	W (mm)		
○	197763	140	120	180	25-28	0,45



New

Mooring Compensator is an unbreakable, durable and silent shore line damper. Reduces uncomfortable motions when the boat is moored.

Highly efficient shock absorber

Eliminates unnecessary strains

Reduces stress force applied on the rope, thus extending the ropes lifetime


Corrosion resistant

No unnecessary noises created


Material: EPDM rubber + Inox AISI-316 + PE-HD




Code	For rope diameter (mm)
72698	18
72699	22



Sports Buoy is made of high-quality PVC material. This small but durable inflatable buoy is the perfect marker for a beach, a waterski course or any area that requires marking. OCEAN Sports Buoy meets the American Water Ski Association specifications. With a durable rope hold to fasten any line.



Colour	Code	Dimensions		Weight (kg)
		L (mm)	H (mm)	
	72450	200	230	0,6



Keychains Fenders are elegant miniatures of the OCEAN fender series. The logo is engraved in the keychain fender, making it a way more aesthetic choice than a cork float. The amount of keys that it can hold are more than any other keychain fender in the market, so you will not lose your keys in the sea.

Keychain Round Fender



Colour	Code
●	72448
○	72541

Keychain Fender



Colour	Code
●	72540
○	72447

ALVEA Drinks Tray is a unique and useful glass & bottle tray, made with *Flexible Integral PU Skin Foam technology* and non-slip material. Thanks to the *moulded design*, the cups are held firmly even when they're empty or during strong winds, making ALVEA an essential accessory on board. In addition, it keeps the table tidy and it's easy to clean, by using only soap and water.

Colour	Code	Dimensions			Weight (kg)
		L (mm)	H (mm)	W (mm)	
●	473084	270	230	50	0,30



Clip-on CAN HOLDER is a unique and useful accessory, ideal for holding and keeping cool cans, small bottles, and glasses. It is one-piece made and there is no need for extra parts. It preserves the temperature levels of the mounted object.

It can also be used as an object holder for mobile phones, eye-glasses, portable VHF and GPS, etc. It is made with **Flexible Integral PU Skin Foam technology** and can be clipped on all guardrails, pulpit and stanchion, making it an essential accessory on board.

Perfect fit for glasses, bottles and cans

A MUST-HAVE ACCESSORY



An object holder for mobile phones, eyeglasses, portable VHF and GPS, etc.

Colour	Code	Dimensions			Rail Ø (mm)	Weight (kg)
		L (mm)	H (mm)	W (mm)		
○	470089	130	90	100	22-26	0,25
●	197762					



Unique Product - Supreme Quality

Flexible Integral PU Skin Foam Technology

Maximum Durability

Easy "clip-on" on any guardrails

Fender Selection Chart

BOAT LENGTH (ft/m)



SERIES			10'/3m	20'/6m	30'/9m	40'/12m	50'/15m	60'/18m	70'/21m
Fenders	U	U0	↔						
		U1		↔					
		U2/H2		↔	↔				
		U3/H3		↔	↔	↔			
		U4/H4			↔	↔	↔		
		U5/H5			↔	↔	↔		
	H	U6/H6				↔	↔		
		H7				↔	↔		
		H8					↔	↔	
		H9						↔	↔
		H10							↔
Buys	CH	CH0	↔						
		CH1		↔	↔				
		CH2		↔	↔	↔			
	RT	RT1		↔	↔				
		RT2			↔	↔			
		RT3				↔	↔		
	R	R0	↔						
		R1		↔					
		R2			↔	↔			
		R3			↔	↔			
		R4				↔	↔		
		R5					↔	↔	
Solid Fenders	TYPE A	A1		↔					
		A2			↔	↔			
		A3				↔	↔		
		A4					↔	↔	
	SOLOVELA	SOLOVELA				↔	↔	↔	↔

SERIES			20'/6m	30'/9m	40'/12m	50'/15m	60'/18m	70'/21m	130'/40m	160'/50m	210'/66m
Inflatable Fenders	EASystore PLUS	57327	↔								
		57328		↔							
		57316			↔						
		57317				↔	↔				
		57318					↔	↔			
		57319							↔	↔	
	MAGNUS	72159							↔	↔	
		72162							↔	↔	
		72160							↔	↔	
		72161									↔
		72163									↔

OCEAN Fenders Limited Warranty

WHAT THIS WARRANTY COVERS OCEAN warrants its products to be free of defects in workmanship and material under normal use and service and when used for the purposes and under the conditions for which they are intended.

WHAT THIS WARRANTY DOES NOT COVER This warranty does not apply to any problem caused by:

- 1) Unusual conditions such as severe storms, hurricanes, extreme temperatures, UV light breakdown, or ultraviolet rays. Also, the warranty does not cover cosmetic flaws that result from normal wear and tear under ordinary use and do not affect the performance or use of the product.
- 2) Intentional damage by people.
- 3) Cuts, punctures, or exposures to chemicals that degrade or discolor plastics.
- 5) Abuse, neglect, accident, misuse, alteration, unauthorized repair, improper handling, or improper use.
- 4) Improper inflation of any product, including under or over inflation (please refer to inflation guide for maximum inflation values).

Since it is impossible for OCEAN to know the exact purposes for which you acquired the OCEAN product or the uses to which you will put the product, OCEAN shall not be responsible for the selection of the product for its installation and use. While every reasonable effort has been made to insure that you will receive a product that you can use and enjoy, OCEAN does not warrant that the product will meet your requirements.

NO WORDS, ACTIONS, DESCRIPTIONS, MODELS, SAMPLES OR OTHER SELLER CONDUCT WILL CREATE AN EXPRESS WARRANTY BEYOND THE TERMS DESCRIBED HERE.

HOW LONG COVERAGE LASTS The warranty on SOLOVELA, TYPE A, MATCH 60 & 80, PVM 1 & 2, BLADE, SERIES R, H, U, CH & RT, Bow & Dock fenders as well as EASYSTORE PLUS & MAGNUS lasts for a 2-year period from the date of purchase as long as the original purchaser can prove the origin of purchase. This warranty terminates if the original purchaser sells or transfers the product.

WHAT OCEAN WILL DO Obligation under this warranty is limited to repair, replacement, or credit for the defective product at the discretion of OCEAN.

HOW TO GET SERVICE Purchaser should return the defective product to the location where the purchase was made, along with a copy of the original sales receipt documenting the date of purchase and the OCEAN item number, as well as a description of the conditions in which the product was used and the alleged defect **MUST** accompany all warranty claims.

OCEAN shall have the right to inspect said product and Purchaser shall, if requested, return the defective product to OCEAN.

OCEAN is not responsible for postage on the return of defective products. No return merchandise will be accepted without prior authorisation.

PROFESSIONALS TRUSTING OCEAN





"FENDING", INNOVATION AND EXCELLENCE

Customer Support:

3 Gounari str., Piraeus, 185 31, Greece

Tel: +30 2104226274, **Fax:** +30 2104226273

e-mail: contact@oceanfenders.com

Production:

14, Ursa street, District Sini Vir, 2309 Pernik

www.oceanfenders.com

